

CLIMATE COMFORT | BUSES, TRAINS, TRANSPORTERS, COMMERCIAL AND SPECIAL VEHICLES

EBERCOOL STATIONARY COOLING SYSTEMS



EBERCOOL



A WORLD OF COMFORT







THE RIGHT CLIMATE AT ALL TIMES

Ebercool stationary cooling systems provide a pleasant climate in transporters, motorhomes, agricultural machines and commercial vehicles. You wish to be as comfortable as possible during the hot summer months? Then Ebercool, the first-class stationary cooling system from Eberspächer, is the right solution for you. Ebercool is the exceptionally economical water-based climate-control solution. It is easy to install on the vehicle roof, ideally suited for use when driving and when on breaks and is completely independent of the engine. This saves up to 10% fuel consumption and protects the environment. Ebercool always cools the driver's cab to a pleasant temperature, even when the engine is not running.

The Ebercool stationary cooling systems provide the right climate in all seasons. This evaporation-based cooling system cools the driver's cab without the engine being in operation. Since no compressor is installed, Ebercool functions very quietly. Ebercool also protects the battery with its low current consumption.

BENEFITS FOR YOU:

- Compact cooling system that can be easily installed on the vehicle roof and requires little space
- Air is cooled by evaporation and is directed into the cab through vents
- Low-maintenance cooling system
- Different versions for different applications





EBERCOOL OPTIMA – COMFORTABLE AND RESTFUL BREAKS

ADVANTAGES:

- Up to 10 °C greater cooling performance
- Comfortable and restful breaks
- Functions economically with water
- Safety monitoring
- Up to 10% fuel savings
- Protects the engine
- Battery protection system
- 2-year warranty and inspection in authorized workshops

APPLICATIONS:

- Transporters
- Motorhomes
- Buses
- Agricultural machines
- Trucks



EBERCOOL OPTIMA		
Water tank capacity	l	32 (1 to 3 l/h)
Current draw (max.)	A	4 at 24 V, 7.5 at 12 V
Air flow volume	m ³ /h	720
Control unit		Infrared remote control
Battery protection system		Safety switch-off at 21.5 V (24 V) and at 10.5 V (12 V)
Dimensions W x H x D	mm	820 x 750 x 210
Minimum dimensions for installation	mm	300 x 400
Weight	kg	35



EBERCOOL INTELLIGENT 12 – VERY FLAT STATIONARY COOLING SYSTEM

ADVANTAGES:

- New design: extremely flat at 13.5 cm
- Up to 10 °C greater cooling performance
- Automatic filter drying
- Maintenance display
- Comfortable and restful breaks
- Functions economically with water
- Safety monitoring
- Up to 10% fuel savings
- Automatic switch-off
- 2-year warranty and inspection in authorized workshops

APPLICATIONS:

- Transporters
- Motorhomes
- Buses
- Agricultural machines
- Trucks



EBERCOOL INTELLIGENT 12		
Water tank capacity	l	32 (1 to 3 l/h)
Current draw (max.)	A	4 at 24 V, 7.5 at 12 V
Air flow volume	m ³ /h	720
Control unit		Infrared remote control
Battery protection system		Selectable adjustment of safety switch-off
Controls		Self-controlling ventilation
Dimensions W x H x D	mm	850 x 760 x 135
Minimum dimensions for installation	mm	300 x 400
Weight	kg	35



EBERCOOL HOLIDAY II – ECONOMICAL STATIONARY COOLING SYSTEM

ADVANTAGES:

- New padded cover
- New kit for openings with the dimensions 420 x 750 mm (max.)
- Up to 10 °C greater cooling performance (depending on atmospheric conditions)
- No additional tank (optional)
- Low energy consumption
- Long operating time/battery protection
- Functions economically with water
- Automatic drying mode
- 2-year warranty and inspection in authorized workshops

APPLICATIONS:

- Motorhomes



EBERCOOL HOLIDAY II		
Water tank capacity – optional	l/h	1 to 3
Current draw (max.), (without water pump)	A	max. 5.8 at 12 V, 1 A at stage 3
Air flow volume (8 speed stages)	m ³ /h	720 (8 stages)
Control unit		Infrared remote control
Battery protection system		Safety switch-off at 21.5 V (24 V) and at 10.5 V (12 V)
Dimensions W x H x D	mm	820 x 750 x 210
Minimum dimensions for installation	mm	300 x 400
Weight	kg	25



EBERCOOL X-TREME – STATIONARY COOLING SYSTEM WITH DUST FILTER

ADVANTAGES:

- Dust filter in roof area
- Comfort in the cab
- Functions economically with water
- Enhanced monitoring function
- Up to 10% fuel savings
- Protects the engine
- 2-year warranty and inspection in authorized workshops

APPLICATIONS:

- Agricultural machines



EBERCOOL X-TREME		
Water tank capacity	l	32 (1 to 3 l/h)
Current draw (max.)	A	4 A at 24 V, 7.5 A up to 12 V
Air flow volume	m ³ /h	720
Control unit		Infrared remote control
Battery protection system		Safety switch-off at 21.5 V (24 V) and at 10.5 V (12 V)
Dimensions W x H x D	mm	740 x 810 x 230
Minimum dimensions for installation	mm	300 x 400
Weight	kg	40

GERMANY

Heaters:

J. Eberspächer GmbH & Co. KG
Eberspächerstrasse 24
73730 Esslingen
Hotline: 0800 1234300
Fax hotline: 01805 262624
www.eberspaecher.com

Auxiliary products:

Eberspächer Heizgeräte GmbH
Wilhelmstrasse 47
17358 Torgelow
Phone: 03976 2350-0
Fax: 03976 2350-26
torgelow@eberspaecher.com
www.eberspaecher.com/torgelow

AUSTRIA

Eberspächer GmbH
IZ NÖ-Süd 2
Hondastrasse 2, Obj. M47
2351 Wiener Neudorf
Phone: 02236 677144-0
Fax: 02236 677144-42
office-at@eberspaecher.com
www.eberspaecher.at

SWITZERLAND

Technomag AG
Abteilung Handelsprodukte
Fischermättelistrasse 6
CH-3000 Berne
Phone: 031 3798171
Fax: 031 3798343
standheizungen@technomag.ch
www.eberspaecher.ch

Headquarters

J. Eberspächer GmbH & Co. KG
Eberspächerstrasse 24
73730 Esslingen
Phone: +49 711 939-00
Fax: +49 711 939-0634
info@eberspaecher.com
www.eberspaecher.com

